



**Notified Testing Supervising and Certification Body 0672-CPD-001**

**EC-CERTIFICATE OF CONFORMITY**  
**0672 – CPD – 006.3**

In compliance with Directive 89/106/EEC of the Council of European Communities of 21 December 1988 on the approximation of legal and administrative provisions of the Member States relating to construction products (Construction Products Directive - CPD), amended by Directive 93/68/EEC of the Council of European Communities of 22 July 1993, it is confirmed that the construction product

**RW - Pot Bearing**

with elastomeric pad of compound Nyhapren 1115 and internal seal of brass or of PTFE/carbon as fixed bearing or with horizontal sliding part, types 2.1 to 2.3 in accordance with EN 1337-1, for effective bearing temperatures of -35 °C to +48 °C as sliding bearing and of -40 °C to +50 °C as fixed bearing, for use in building and civil engineering works where requirements on individual bearings are critical,

placed on the market by

**RW SOLLINGER HÜTTE GmbH.**  
**Auschnippe 52, D-37170 Uslar, FRG**

and produced in the factory

**Reisner & Wolff Engineering Gesellschaft m. b. H.**  
**Terminalstraße 25, A-4600 Wels, Austria**

is subjected by the manufacturer to a factory production control and to the further testing of samples taken at the factory in accordance with a prescribed test plan and that the notified body - MPA Universität Stuttgart - has performed the initial type-testing of the relevant characteristics of the product, the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control.

This certificate attests that all provisions concerning the attestation of conformity and the performances described in Annex ZA of the standard

**EN 1337-5:2005**

were applied and that the product fulfils all the prescribed requirements.

This certificate was first issued on 15 June 2007 and remains valid as long as the conditions laid down in the harmonised technical specification in reference or the manufacturing conditions in the factory or the factory production control itself are not modified significantly.

Stuttgart, 19 June 2009



Dr.-Eng. J. Wiedemeyer  
Head of Certification Body